HISTORIA NATURAL

Tercera Serie | Volumen 9 (1) | 2019/121-124

Paulicea gigantea GOELDI, 1900 – AN OVERLOOKED, AVAILABLE JUNIOR SYNONYM OF Zungaro jahu (IHERING, 1898)

Paulicea gigantea Goeldi, 1900 – Un olvidado, sinónimo disponible de Zungaro jahu (Ihering, 1898)

Stefan Koerber

Independent researcher. Friesenstr. 11, 45476 Muelheim, Germany. pecescriollos@koerber-germany.de, www.pecescriollos.de



In only two pages Hermann von Ihering (1898) described both, the new pimelodid genus Paulicea and the new species P. jahu, being 'Jahú' also the vernacular name of the species. Silfvergrip (1992) considered Paulicea to be a junior synonym of Zungaro, whose type species, Zungaro zungaro (Humboldt, 1821), is distributed in the Amazon and Orinoco basins, and Z. jahu is found in the Paraná and Paraguay systems. Only these two species of the genus are currently known, but there may be more hidden ones (Pires et al., 2017). Bagrus flavicans Castelnau, 1855, Zungaro humboldtii Bleeker, 1858, and Platystoma lütkeni Steindachner, 1876 were listed as junior synonyms of Zungaro zungaro by Lundberg y Littmann (2003) and Ferraris (2007), while no synonym to Z. jahu seems to exist.

In his paper on the fishes of the Amazon, published in German, Goeldi (1900a: 474, 1900b: 384) has stated that "for the closely related 'Jahu' Dr. H. von Ihering, Director of the Museum at São Paulo, has proposed the name Paulicea gigantea I. nov.gen. et nov. spec. However, I have to admit that the collation of a specimen in my possession has resulted in such a similarity to the Pseudoplatystoma lutkenii described by Steindachner, that to me, if not the identity with the very species, at least the affiliation to Steindachner's genus seems to be very probable" [author's translation from the original text in German]. In his earlier contribution on the Amazonian fishes Goeldi (1898) did not mention Paulicea gigantea, nor P. jahu. Ihering's paper was probably not yet available to Goeldi when preparing his own paper as both have been published nearly simultane-

By mentioning not only a species allegedly described by Ihering, but also the description of the genus Paulicea, Goeldi clearly refers to the paper in which Ihering (1898) described Paulicea and P. jahu. Thus, Goeldi ascribed the nomen Paulicea gigantea erroneously to the authorship of Ihering and in consequence, possibly due to a lapsus calami, published inadvertently a new nomen (not a nomen novum in the sense of the glossary of the Code!). Goeldi's Paulicea gigantea was not supported by a description or any other definition of the species, but by a 'bibliographic reference to a previously published description' which is an indication in the sense of Article 12.2.1. (International Commission on Zoological Nomenclature, 1999). Thus, Paulicea gigantea Goeldi, 1900 is a name available for the zoological nomenclature and a so far overlooked jr. synonym of Paulicea jahu Ihering, 1898.

As a matter of fact the contribution of Goeldi has been published twice, both times during the same year (1900a,b) in the German journals Prometheus and Nerthus, being the first a popular journal on technical advances and natural sciences and the latter a magazine for keepers of plants and pets, including the aquarium hobby. As the editor of Nerthus acknowledged the permission to reprint from Prometheus (Goeldi 1900b: 468), the paper published in Prometheus was the one Goeldi submitted for initially.

As recognizable from the respective subtitles Goeldi had structured his contribution for Prometheus in three parts and the editor has then fractured those into seven (see Goeldi 1900a in references). Different from Nerthus, the issues of Prometheus do not indicate the exact date of publication, but only the running weekly issue of the respective volume and a continuous number for the entire journal. As the volumes started in October the publication date of each part in Prometheus was counted from the beginning of October by weeks forward. By coincidence Nerthus was published on Sundays and October 1st, 1900 was a Sunday, too. Goeldi's comment on Paulicea gigantea in Prometheus was mentioned in issue 550, assumed to have been published on April, 22nd 1900, while the same comment in Nerthus

122




Figure 1 - *Bagrus flavicans* Castelnau, 1855, a junior synonym of *Zungaro zungaro* (Humboldt, 1821). Drawing from Castelnau's original description, made available by Wikimedia Commons.

Für den nahestehenden »Jahú« hat Dr. H. von IHERING, Direktor des Museums von Sao Paulo, den Namen Paulicea gigantea I., nov. gen. et nov. spec., vorgeschlagen; ich muss indessen gestehen,

Figure 2 - Relevant text from Goeldi (1900b).




Figure 3 - Arapaima gigas, one of the illustrations presented in Goeldi (1900b).

dates from June 10th, 1900. Thus, issue 550 of Prometheus, is to be considered the original source of publication for *Paulicea gigantea* Goeldi, 1900.

As both papers are either not available online as compilation of the parts (Nerthus)

or not available online at all (Prometheus), these are offered for download at: www. pecescriollos.de/en/paulicea-gigantea. To maintain their permanent availability for the ichthyological community please feel free to store those pdf-files in any database or site you consider feasible.

ZooBank registrations for the publication and the taxon are pub:879DD32D-C7BB-4E42-93DC-98361060ECE2 and act:F67E4D1D-357D-48DA-B7C4-39720B3E-3DEE, respectively.

ACKNOWLEDGEMENTS

Thanks are due to Alain Dubois, MNHN, for sharing his expertise and opinion in this "bizarre case" and to Stefan Keune and Leonie Fehn from Fernausleihe, Stadtbücherei Oberhausen, for making available the difficult to obtain volumes of the journal Prometheus. An earlier version of the manuscript benefitted from the comments of Álvaro Mones and an anonymous reviewer.

REFERENCES

Ferraris, C.J. (2007). Checklist of catfishes, recent and fossil (Osteichthyes: Siluriformes), and catalogue

123

- of siluriform primary types. Zootaxa, 1418, 1-628.
- Goeldi, E.A. (1898). Primeira contribuição para o conhecimento dos peixes do valle do Amazonas e das Guyanas. Estudos ichthyologicos dos annos 1894-1898. Boletim do Museu Paraense de Historia Natural e Ethnographia, 2 (4), 443-488.
- Goeldi, E.A. (1900a). Die Fischwelt des Amazonas-Gebietes. *Prometheus* 11 (538): 275-280 [week 18, 28.01.1900]; 11 (539): 293-296 [week 19, 04.02.1900]; 11 (550): 473-474 [week 30, 22.04.1900]; 11 (551): 487-491 [week 31, 29.04.1900]; 11 (552): 505-509 [week 32, 06.05.1900]; 12 (577): 73-76 [week 5, 04.11.1900]; 12 (578): 89-91 [week 6, 11.11.1900].
- Goeldi, E.A. (1900b). Die Fischwelt des Amazonas-Gebietes. *Nerthus* 2 (22): 362-366 [03.06.1900]; 2 (23): 382-385 [10.06.1900]; 2 (24): 396-397 [14.06.1900]; 2 (25): 416-418 [24.06.1900]; 2 (26): 425-427 [01.07.1900]; 2 (27): 450-452 [08.07.1900]; 2 (28): 466-468 [15.07.1900].
- Ihering, H. von (1898). Description of a new fish from Sao Paulo. pp. 108-109. appended to: 'Contributions to the herpetology of Sao Paulo. 1.'. *Proceed-*

124

- ings of the Academy of Natural Sciences of Philadelphia, 50, 101-109.
- International Commission on Zoological Nomenclature (1999): International code of zoological nomenclature. 4th edition. The International Trust for Zoological Nomenclature, London.
- Lundberg, J.G. and Littmann, M.W. (2003). Family Pimelodidae (Long-whiskered catfishes). pp. 432-446. In: Reis, R.E., S.O. Kullander & C.J. Ferraris (eds.): *CLOFFSCA Check list of the freshwater fishes of South and Central America*, 729 pp. Edipucrs, Porto Alegre.
- Pires, A.A., Ramirez, J.L., Galetti, P.M., Troy, W.P. and Freitas P.D. (2017). Molecular analysis reveals hidden diversity in *Zungaro* (Siluriformes: Pimelodidade): a genus of giant South American catfish. *Genetica*, 145 (3), 335-340.
- Silfvergrip, A.M.C. (1992). Zungaro, a senior synonym of Paulicea (Teleostei: Pimelodidae). Ichthyological Exploration of Freshwaters, 3 (4): 305-310.